



contemporary
gas fireplaces

why choose Regency?

Fire transformed to Art

My vision was to elevate the role of a fireplace beyond the heating function to a highly stylized art form for today's trend toward modern homes. I focused on clean lines crafted from unique materials in bold, vibrant colors, cool stainless or sleek black. These elegant frames wrap artfully around a fire that dances evocatively from gently curved burners cradling cobalt blue crystals or a long, seamless river of pebbles. Prepare to impress.



Regency Quality ...beauty that heats


For over 30 years Regency has carefully researched trends to develop fireplaces that fit your needs. A perfect combination of function and beauty; each Regency is a high efficiency heater with a beautiful view. Cut your heating bills in half by turning your furnace way down in most of your rooms and enjoy high efficiency, controllable heat in the living areas you spend time in. And, all Regency products operate during power outages.

Lifetime Warranty

I am so confident in the quality workmanship, the finest materials and durable heavy-duty construction invested in each and every Regency, that I offer a Limited Lifetime Warranty. We know that you will be as proud of your Regency Contemporary Collection Fireplace as we are – I guarantee it.

Robert Little
Founder & CEO





index

Contemporary Gas Fireplace Collection

Regency Horizon HZ54E	4
Regency Horizon HZ42E	6
Regency Horizon HZ42STE	8
Regency Horizon HZ30E & HZ40E	10
Sunrise L676S	12
Sunrise P33SE	13
Design Choices	14
Technical Specs	16



Regency Horizon™ HZ54E

Contemporary Gas Fireplace



Regency Horizon HZ54E shown with black faceplate, stainless steel reflective panels, ceramic spa stones and natural river pebbles.

Wide View, Dramatic Flames

The Regency Horizon™ HZ54E offers a wide angle view of a unique and dramatic flame; perfect for contemporary homes and open concept living spaces. Inner reflective panels amplify the appearance of the stunning fire. The incredible styling is backed up by practical function; delivering consistent, controllable heat - even during power outages.



Regency Horizon HZ54E shown with stainless steel faceplate, black enamel reflective panels and black crystals.



Regency Horizon HZ54E shown with sunset bronze faceplate, black enamel reflective panels and ceramic log set.



Specifications	NG	LP
Input (BTU)	41,500	37,000
Turn down to (BTU)	29,000	30,000
EnerGuide Rating (Canada only)	56.03%	68.31%
Efficiency (steady state)	70%	75%

Dimensions	
Faceplate Width	56-11/16"
Faceplate Height	25-1/8"
View area	615 sq.in

For detailed specifications please see pages 15-19.

Standard Features

- Natural Gas or Propane
- 39" burner covered with cobalt blue crystals
- Wall mounted On/Off switch
- Electronic ignition with SureFire™ switch
- Direct vent

Optional Features

- Contemporary door frame & faceplate in black, brushed stainless steel or sunset bronze
- Stainless steel or black enamel inner reflective panels
- Natural River Pebbles
- Ceramic Spa Stones, crystals in various colors, ceramic log set
- Proflame remote controls
- Wall thermostat
- AstroCap™ Venting or Pwer Vent System
- Variable speed blower
- HeatWave™ power duct kit and HeatRelease™ kit

Regency Horizon™ HZ42E

Contemporary Gas Fireplace



Regency Horizon HZ42E shown with sunset bronze faceplate, black enamel inner panels, ceramic spa stones and natural river pebbles.

Seamless Design & Perfect Heat

Smaller in size, while maintaining the drama of the HZ54E, this fireplace allows you to feature a stunning firescape in rooms with more limited square footage. Create a tranquil escape using spa stones or rev up the atmosphere with cascading cobalt blue crystals. Any room will be transformed to an experience with the Regency Horizon.



Horizon HZ42E shown with stainless steel faceplate, stainless steel inner panels and blue crystals.



Horizon HZ42E shown with black faceplate, stainless steel inner panels, ceramic spa stones and natural river pebbles.



Specifications	NG	LP
Input (BTU)	26,000	24,500
Turn down to (BTU)	17,500	19,500
EnerGuide Rating (Canada only)	64.89%	65.70%
Efficiency (steady state)	69%	69%

Dimensions	
Faceplate Width	48-3/4"
Faceplate Height	23-5/8"
View area	464 sq.in.

For detailed specifications please see pages 15-19.

Standard Features

- Natural Gas or Propane
- 30" burner covered with cobalt blue crystals
- Wall mounted On/Off switch
- Electronic ignition with SureFire™ switch
- Direct vent

Optional Features

- Contemporary faceplate in black, brushed stainless steel or sunset bronze
- Stainless steel or black enamel inner reflective panels
- Natural River Pebbles
- Ceramic Spa Stones
- Crystals in various colors
- Accent light
- Proflame GT or GTM remote control
- Wall thermostat
- AstroCap™ Venting System

Regency Horizon™ HZ42STE

Contemporary See-Through Gas Fireplace



Regency Horizon HZ42STE shown with stainless steel faceplate.

Two Rooms, One Fire

One of the most popular uses for the Regency Horizon See Through is to create two amazing fire views from separate rooms using one fireplace. The Regency Horizon See Through is a cost effective way to divide a larger space while maintaining an open feel. Different wall finishes make a room even more dramatic, for the ultimate two fireplace look.



Regency Horizon HZ42STE shown with sunset bronze faceplate and stainless steel reflective panels.



Specifications	NG	LP
Input (BTU)	26,000	24,500
Turn down to (BTU)	17,500	19,500
EnerGuide Rating <small>(Canada only)</small>	66.96%	68.71%
Efficiency (steady state)	70%	72%

Dimensions	
Faceplate Width	48-3/4"
Faceplate Height	23-5/8"
View area	928 sq.in.

For detailed specifications please see pages 15-19.

Standard Features

- See through fireplace
- Natural Gas or Propane
- 30" burner covered with cobalt blue crystals
- Wall mounted On/Off switch
- Electronic ignition with SureFire™ switch
- Direct vent

Optional Features

- Contemporary faceplate in black, brushed stainless steel or sunset bronze
- Stainless steel or black enamel inner reflective panels
- Natural River Pebbles
- Ceramic Spa Stones
- Crystals in various colors
- Accent light
- Proflame GT or GTM remote control
- Wall thermostat
- AstroCap™ Venting or Power Vent System

Regency Horizon™ HZ30E & HZ40E

Contemporary Gas Fireplaces



Regency Horizon HZ30E shown with black inner door frame and stainless inner panels (clean edge install).

Frameless Style

A smaller profile of the popular Regency Horizon models, the HZ30E and HZ40E features the same sleek wide view design set in a seamless frame. With minimal impact on floor space, both models offer modern style options that can be easily integrated into any room, providing efficient heat output for just the right amount of warmth.

Whether you are updating a small or medium sized apartment, master bedroom or ensuite bathroom, these linear fireplace models are designed to fit into these spaces



Regency Horizon HZ40E shown with black inner door frame and copper crystals.



HZ30E shown with sunset bronze inner & outer door frame and stainless inner panels.



HZ30E shown with stainless steel faceplate and enamel inner panels.



Specifications	HZ30E	HZ40E
Input (BTU)	14,000	26,000
Turn down to (BTU)	--	18,000
EnerGuide Rating (Canada only)	69.69%	66.82%
Efficiency (steady state)	70%	70%

Dimensions		
View area		251 sq. in. 464 sq.in.
4 pc. Faceplate	Width	33-1/4" 48-3/4"
	Height	19-1/2" 23-5/8"
Clean finish (inner frame)	Width	28-3/16" 39-1/16"
	Height	14-1/16" 16-7/8"

* For propane (LP) specs please see page 16.
For detailed specifications please see pages 15-19.

Standard Features

- Natural gas or propane
- Regency Horizon burner covered with cobalt blue crystals
- Electronic ignition with SureFire™ switch
- Wall mounted on/off switch
- Direct vent

Optional Features

- Contemporary faceplate in black, brushed stainless steel and sunset bronze (in 2 styles)
- Available without faceplate for clean edge install
- Stainless steel (HZ30E only) or black enamel reflective inset panels
- Natural River Pebbles
- Ceramic Spa Stones, crystals in various colors
- Proflame GT, GTM (HZ40E only) GTMF remote controls
- Wall thermostat
- Variable speed blower
- AstroCap™ Venting System
- HeatWave™ power duct kit and HeatRelease™ kit

Sunrise L676S & P33SE

Contemporary Gas Fireplaces



L676S Sunrise shown with black faceplate, stainless steel reflective panels and copper crystals.

Combining Fire & Art

We have redefined the conventional firebox to include dramatic, contemporary elements that take it from timeless and traditional to modern and sensational! Reflective panels expand and amplify the beautiful Sunrise fire with cobalt blue crystals or ceramic spa stones. The Sunrise™ P33SE fireplace doesn't need a large space to create a distinct feature in your home. The shallow (12-3/4" deep) direct vent firebox allows you to install a contemporary fireplace anywhere!



P33SE Sunrise shown with stainless steel faceplate and copper crystals.



L676S Sunrise shown with red faceplate, enamel black reflective panels and copper crystals.



P33 shown with sunset bronze faceplate and ceramic logs.



P33SE Sunrise shown with blue faceplate and ceramic spa stones.

Specifications (NG)*	L676S	P33SE
Input (BTU)	29,000	17,000
Turn down to (BTU)	19,500	12,000
EnerGuide Rating (Canada only)	60.97%	68.66%
Efficiency (steady state)	67%	72%

Dimensions	L676S	P33SE
Faceplate Width	34-3/4"	38-7/8"
Faceplate Height	33-3/16"	29-1/2"
View area	676 sq.in.	408 sq.in.

* For propane (LP) specs please see page 16.

For detailed specifications please see pages 15-19.

Standard Features

- Natural Gas
- Sunrise fire with cobalt blue crystals
- Wall mounted On/Off Switch
- Standing pilot with direct spark ignition (L676S)
- Electronic ignition with SureFire™ switch (P33SE)
- Direct vent

Optional Features

- Inner panels in black (L676S only), black enamel and stainless steel
- Faceplate in black, blue, red, silver (L676S only), sunset bronze (P33SE only) and stainless steel (P33SE only)
- Ceramic Spa Stones
- Crystals in various colors
- River Pebbles or ceramic log set (P33SE only)
- Proflame remote controls
- Wall thermostat
- Propane conversion kit
- Variable speed blower (P33SE only)
- AstroCap™ venting system

design choices - contemporary collection

Surround finishes



Black

Brushed stainless steel

Sunset bronze




Black

Blue

Red

Silver

Firebed options



Cobalt blue crystals

Copper crystals

Starfire crystals

Black reflective crystals

Ceramic spa stones

Ceramic log set

Accent pebbles



Natural river pebbles

Accessories		HZ54E	HZ42E	HZ42STE	HZ40E	HZ30E	P33SE	L676S
Sunrise™ fire & Regency Horizon fire	Cobalt blue crystals	✓	✓	✓	✓	✓	✓	✓
	Crystals - various colors	★	★	★	★	★	★	★
	Ceramic spa stones	★	★	★	★	★	★	★
Accent pebbles (for firebox floor)	Natural river pebbles	★	★	★	★	★	★	-
Ceramic Logs		★	-	-	-	-	★	-
Faceplates	Black	★	★	★	★	★	★	★
	Brushed stainless steel	★	★	★	★	★	★	-
	Sunset bronze	★	★	★	★	★	★	-
	Red	-	-	-	-	-	★	★
	Blue	-	-	-	-	-	★	★
	Silver (painted)	-	-	-	-	-	-	★
Inside Panels	Stainless steel	★	★	★	-	★	★	★
	Black enamel	★	★	★	★	★	★	★
	Black panels (painted)	✓	✓	✓	✓	✓	✓	★
Accent light		-	★	★	-	-	-	-
Remote controls	Proflame GT	★	★	★	★	★	★	★
	Proflame GTM	★	★	★	★	-	★	★
	Proflame GTMF	★	-	-	★	★ ¹	★	-
Wall mounted On/Off switch		✓	✓	✓	✓	✓	✓	✓
Variable speed blower		★	-	-	★	★	★	-
Direct Vent		✓	✓	✓	✓	✓	✓	✓
AstroCap™ Venting System		★	★	★	★	★	★	★
Power Vent System		★	-	★	-	-	-	-
HeatWave power duct kit		★	-	-	★	-	★	★
HeatRelease kit		★	-	-	★	-	-	★
LP conversion kit		-	-	-	-	-	★	★

- Not available

✓ Standard

★ Optional

1 - fan control only, no flame height adjustment

Regency Remote and Thermostat Comfort Control

Create optimal comfort with the ease and convenience at the touch of a button with a Regency Comfort Control System. Our user friendly programmable controls can be set, adjusted and programmed for your fireplace to come on at the temperature you want when you want it. Regency control systems are available with a variety of features to suit your household home heating needs.



Proflame Remote Control



Thermostat

Feature	Description	Proflame Remotes			Programmable Thermostat
		GT	GTM	GTMF	
On/Off		✓	✓	✓	✓
Child lock		✓	✓	✓	-
LCD Backlit Screen		✓	✓	✓	✓
Clock		-	-	-	✓
Temperature display	°F / °C	✓	✓	✓	✓
Thermostat	one setting (all days)	✓	✓	✓	✓
	5-day day weekday & 2-day weekend	-	-	-	✓
Smart thermostat*		-	✓	✓	-
Flame adjustment	(6 levels)	-	✓	✓	-
Fan control**	(6 levels)	-	-	✓	-
Accent light (On/Off)***		-	-	✓	-

* Smart Thermostat - Rather than a thermostat that simply turns your fireplace on and off, the Smart Control function allows you to set your desired room temperature and as the room reaches your personal setting the flame intensity and heat will gradually decrease – keeping the ambiance of your Regency fire on with less heat output with the option to turn off at any time.

** For models that have a blower.

*** For models that have an optional accent light.

Maximizing Comfort and Efficiency

Regency Fireplaces delivers controllable heat solutions combining the latest in radiant/convection heat technology and innovative features.


- ☑ Adjustable flame/heat control
- ☑ Heat radiating ceramic glass for maximum radiant heat performance
- ☑ **SureFire Electronic Ignition** switch with battery backup features a fuel saving intermittent pilot ignition conserving energy when not in use.
- ☑ **Power's Out, Heat's On.** Never worry about being cold in a power outage again! All Regency gas fireplaces operate without electricity. Enjoy peace of mind all winter long.

Direct Vent Technology

You can enjoy the convenience of a gas fireplace anywhere in your home with a Regency Direct Vent Fireplace. Regency Direct Vent Fireplaces maintains indoor air quality by drawing fresh combustion air in from outside through our specialized venting system into a sealed firebox and sending the used air back outdoors.

Design Versatility

Direct Vent technology allows you to add a fireplace to rooms even if there is no existing chimney. Simply vent your fireplace through an outside wall and finish it with the Regency Patented **AstroCap™ Flex Venting System**.





AstroCap (painted to match home)

specifications

Specifications	HZ54E		HZ42E		HZ42STE		HZ40E		HZ30E		L676S		P33SE	
	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP
Input (BTU)	41,500	37,000	26,000	24,500	26,000	24,500	26,000	25,500	14,000	13,000	29,000	26,000	17,000	15,500
Turn down to (BTU)	29,000	30,000	17,500	19,500	17,500	19,500	18,000	21,000	--	--	19,500	21,000	12,000	12,000
EnerGuide Rating (Canada only)	56.03%	68.31%	64.89%	65.70%	66.96%	68.71%	66.82%	67.80%	69.69%	69.72%	60.97%	61.89%	68.66%	68.20%
Efficiency (steady state)	70%	75%	69%	69%	70%	72%	70%	71%	70%	70%	67%	67%	72%	72%


Regency Horizon™ HZ54E / HZ42E / HZ40E / HZ30E

HZ54E




Dimensions	HZ54E	HZ42E	HZ40E	HZ30E
Flue size	5" x 8"	4"x6-5/8"	4"x6-5/8"	4"x6-5/8"
A	59"	47"	49-5/16"	30-9/16"
B	52-5/8"	41-3/16"	45-5/8"	28-11/16"
C	31-5/8"	30"	33-3/16"	27-1/16"
D	46-3/8"	36-7/8"	42"	33-1/16"
E	48-1/2"	38"	38"	27-5/8"
F	35-1/4"	28-7/8"	31"	25-11/16"
G	20-1/2"	18-5/8"	18-5/16"	14-1/2"
H	22-3/8"	21-1/4"	16-7/8"	14-9/16"
I	5-11/16"	4-7/16"	10"	6-3/8"
J	1-1/2"	1-1/2"	1-7/16"	1-1/2"

HZ30E/HZ40E/HZ42E




HZ30E/HZ40E/HZ42E




Faceplates

Inner & Outer Frame
(HZ54E / HZ40E / HZ30E)





4 piece Faceplate
(HZ42E / HZ40E / HZ30E)



Faceplates		HZ54E	HZ42E/ HZ42STE	HZ40E	HZ30E
Inner & Outer Frame	A	56-11/16"	--	43-1/16"	32-3/8"
	B	25-1/8"	--	20-9/16"	18-1/16"
	C	45-3/16"	--	35-1/2"	24-7/8"
	D	13-5/8"	--	12-1/2"	10-1/8"
	E	49-3/16"	--	39-1/16"	28-3/16"
	F	17-5/8"	--	19-9/16"	14-1/16"
4 piece Faceplate	A	--	48-3/4"	48-3/4"	33-1/4"
	B	--	23-5/8"	23-5/8"	19-1/2"
	C	--	36"	36"	25"
	D	--	12-7/8"	12-7/8"	10-1/2"


Framing




Framing	HZ54E	HZ42E	HZ40E	HZ30E
J	60"	47-1/2"	49-7/8"	31-3/16"
K	46-5/8"	37-1/4"	42"	33-5/16"
L	horizontal vent 22"	18-3/4"	19-7/16"	14-1/4"
	vertical vent 22"	22"	23-7/16"	19-1/2"
M	flex 51"	39-9/16"	43-7/8"	32-7/8"
	rigid 51"	39-9/16"	43-7/8"	35-1/2"
N	72"	51-1/2"	56"	40-7/8"
O	101-7/8"	72-7/8"	79"	57-13/16"

Note: HZ54E requires top metal stud only.
All other framing may be of wood construction.


HZ54E




HZ42E




HZ40E



HZ30E



Clearances



Clearances	HZ54E	HZ42E	HZ40E	HZ30E
A*	20"	13"	17"	13-1/4"
B	4"	8"	8"	8"
C	40-7/8"	22"	22"	39"
D**	13"	13"	13"	12"
E	83"	84"	84"	60"
F	36"	36"	36"	36"
G	28-7/8"	25-3/4"	27"	21"


* Minimum at 1" deep
** HZ30E - Minimum at 21-1/4" above
HZ42E - Minimum at 21-1/2" above
HZ54E - Minimum at 30" above

NOTE: All products can be installed in a raised application. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site www.regency-fire.com



specifications

Regency Sunrise P33SE & L676S

Dimensions	P33SE	L676S
Flue size	4" x 6-5/8"	5" x 8"
A	33"	42-1/2"
B	23"	33-1/8"
C	29"	37-3/8"
D	31-1/2"	45-5/8"
E	12-3/4"	24"
F	--	40-3/8"
G	--	29-1/16"
H	--	31-5/8"
I	--	3"





Framing	P33SE	L676S
I	1"	3"
J	33-1/4"	43"
K	31-3/4"	45-7/8"
L	vertical rise	19-1/2"
	horizontal rigid	16-1/2"
	horizontal flex	12-3/4"
M	rigid	36"
	flex	32"
N	37-1/2"	57-3/16"
O	53-1/4"	80-13/16"




Clearances	P33SE	L676S*
A	1"	3"
B	7-1/2"	14-3/4"
C	30"	52"
D	48"	84"
E	36"	36"
F**	7"	16-1/2"
G***	12"	13"

Notes:
 * L676S requires non-combustible facing, see drawing beside.
 ** L676S minimum at 1" deep, P33SE minimum at 3-1/2" deep.
 *** L676S minimum at 26-1/2" above, P33SE minimum at 11" above.
 For complete instructions please see manual.




Regency Horizon™ HZ42STE



Dimensions	HZ42STE
Flue size	4"x6-5/8"
A	48-11/16"
B	41-3/16"
C	28-5/8"
D	36-1/2"
E	38"
F	30-13/16"
G	15"
H	15"
I	7-3/4"
J	1-1/2"



Framing



Framing	HZ42STE
A	15" minus two times the finishing material thickness*
B	36-3/4"
C horizontal vent	50"
vertical vent	50"

* Finish material thickness includes: ceramic tile, slate, etc.

Clearances



Clearances	HZ42 STE
A*	13"
B	8"
C	22"
D**	13"
E	84"
F	36"
G	25-3/4"

* Minimum at 1" deep

** Minimum at 21-1/2" above

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site www.regency-fire.com

Fireplace planning made simple

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

www.regency-fire.com

1



CLICK!

Take a photo of your desired room location.

2



DESIGN

Go to www.regency-fire.com and design your perfect fireplace with the Fireplace Design Center.

3



VISUALIZE

Upload your room photo and see how the fireplace will look in your own house. Print your own brochure.

4



VISIT A REGENCY STORE

Show your plan to one of our sales associates for expert advice. Your authorized Regency dealer will advise you on all the technical aspects and install your Regency.

5



NO CHIMNEY? NO PROBLEM!

Direct vent technology means you no longer need an expensive, elaborate chimney. Simply vent your fireplace through an outside wall and finish it with an AstroCap™.

6



ENJOY!



your regency dealer