

Studio Direct-Vent FireplacesHeater Rated Premium and Luxury

Luxury Studio DVX42DP Direct-Vent Fireplace with Braided Arch Decorative Front and Marquis Arch Doors in Matte Black with Banded Brick Liner, White Profile Mantelshelf, and Custom Tile Surround.





Studio Series

White Mountain Hearth

Our Studio Series Fireplaces create an attractive, clean-face look but deliver the convenience and efficiency of a modern, direct-vent heat source. These exceptional fireplace systems are rated at up to 82-percent AFUE and up to 37,500 Btu input.

Choose a Fireplace

Studio Series Fireplaces are available in Premium Models – featuring tempered glass, automatic blower, and a four-piece log set mounted on a Slope Glaze Burner – and in Luxury Models – featuring ceramic glass (for better heat transfer), dimmer-controlled interior lighting, automatic blower, and a 13-piece log set atop the larger Slope Glaze Excess Burner.

Within the Premium and Luxury lines, you choose the technology: remote-ready Millivolt, Intermittent Pilot (which eliminates the standing pilot for even greater efficiency, but requires 110 V to operate), or RF (which includes a thermostat remote that automatically adjusts flame height and blower speed to maintain your ideal temperature setting – also requires 110 V.)

We offer both Premium and Luxury fireplaces in 36-inch and 42-inch and in LP and Natural.

Fireplace	Btu (LP/Nat)	Available Liners	Venting
Premium 36	27,000/25,000	Aged Brick, Herringbone, Stacked Limestone	4 x 6 5/8 (LP: top-vent only)
Premium 42	28,000/28,000	Aged Brick, Herringbone, Stacked Limestone	5 x 8
Luxury 36	30,000/33,000	Banded Brick, Stacked Limestone	4 x 6 5/8 (top-vent only)
Luxury 42	35,000/37,500	Banded Brick, Stacked Limestone	5 x 8 (top-vent only)

Decorative Fronts & Doors

Choose a Decorative Front

Complete your Studio Series Fireplace with a Decorative Front, in one of three distinct designs – Tiffany Arch, Braided Arch, and the rectangular Arts and Crafts.

Constructed from 12-gauge steel and finished with durable heat-resistant coatings these attractive Decorative Fronts will provide a lifetime of enjoyment.

The optional Marquis Arch Doors and Arts & Crafts Rectangle Doors add depth and drama. Made from 11-gauge steel, these operable doors are fitted with screens.


Decorative Front Options - include appliqués



Tiffany Arch



Braided Arch



Arts & Crafts

Decorative Doors - include handles and hinges



Marquis Arch Doors (for use with Braided and Tiffany style faces)



Arts & Crafts Rectangle Doors (available for Arts & Crafts model only)

Finish Options

 available for all clean facing accessories and doors



Matte Black



Hammered Pewter



Copper Metallic

Studio Series Decorative Fronts come with appliqués. Remove to apply optional doors.

Fireplace Liners

Choose a Fireplace Liner

No fireplace is complete without a liner. Available for Premium and Luxury fireplaces, our ultra-realistic Stacked Limestone design features irregular-shaped stones that recreate the look and feel of a rustic cabin fireplace.

Our Herringbone liners (for Premium models only) feature burnt umber bricks in a herringbone pattern. The look is both contemporary and classic.


Our Aged Brick features brown bricks in a running bond course with charcoal mortar, and smoke accents.



DVX42DP Direct-Vent Fireplace with Banded Brick Liner

Our Banded Brick liners (for Luxury models only) feature dark "creamed coffee" bricks in a running bond course, plus an accent band of diagonal bricks.

All of our liners are made from ceramic fiber and hand painted for rich natural coloring. Color may vary.





Controls

Choose a Control System

Studio Millivolt Systems

Millivolt systems include a standing pilot and piezo ignition. Once the pilot is ignited, the fireplace can be operated with a wall switch, wall thermostat, or remote system (FRBC, FREC, FRBTC).

Studio Direct Ignition (DI) Systems

Direct-Ignition Systems, available in Deluxe, Premium, and Luxury models, eliminate the pilot light for greater energy efficiency. These systems use 110V AC to generate a spark to directly ignite the burner each time it comes on. These systems operate with a FWS wall switch or with the FREC electric remote control system.

Studio Intermittent Pilot (IP) Systems

Intermittent Pilot Systems, available in Premium and Luxury models, eliminate the continuous standing pilot light. These systems require household current and use a 24-volt transformer to generate a spark, which ignites the pilot only when needed.

Studio RF Systems -Variable Flame & Blower Speed

Studio Series Premium and Luxury RF Systems include a thermostat remote and special integrated remote that controls ignition and varies the flame height and blower speed to maintain your pre-set room temperature. On Luxury models only, the remote control also operates the fireplace lighting dimmer.

While the technology is sophisticated, the remote control is easy to use – with a large digital readout and well-marked buttons. Unlike a TV remote, the RF remote does not need to point at the fireplace to work, so it can be placed anywhere in the room. Best of all, RF models include a battery back-up to continue to provide heat when electric power fails.



















Fireplace Dimensions (in inches)









	DVP36DP	DVP42DP	DVX36DP	DVX42DP
А	39	43	39	43
В	36	40	36	40
С	25 1/16	25 1/16	25 1/16	25 1/16
D	37 5/8	37 5/8	40 3/4	40 3/4
Е	34 3/4	34 3/4	34 3/4	34 3/4
F	19 7/8	19 7/8	19 7/8	19 7/8
G	26 1/2 (Nat)	26	N/A	N/A
Н	7 1/8	7 1/8	7 1/8	7 1/8
1	26 1/2	26 1/2	26 1/2	26 1/2
J	13 1/4	13 1/4	13 1/4	13 1/4
K	12 3/4	12 3/4	12 3/4	12 3/4

Fireplace Front Dimensions (in inches)


Braided Arch



Tiffany Arch



Arts & Crafts



	36" Braided Arch	42" Braided Arch	36" Tiffany Arch	42" Tiffany Arch	36" Arts & Crafts	42" Arts & Crafts
Α	37 25/32	37 25/32	37 25/32	37 25/32	35 31/32	35 31/32
В	41 3/16	45 3/16	41 3/16	45 3/16	41 3/16	45 3/16
С	32 5/32	36 5/32	32 5/32	36 5/32	32 5/32	36 5/32
D	34 25/32	34 25/32	34 25/32	34 25/32	N/A	N/A

Warranty for All Models	Gas Inlet for All Models		
All parts carry a 3-year limited warranty.	Type of Gas	Natural or LP	
Note: Empire is committed to continuous product improvement; specifications are	Iron Pipe Size (N.P.T.)	1/2 inch	
subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product.	Installation and Safety for All Models		
follow the framing diffiensions in the owners mandar supplied with your Empire product.	Refer to your Owner's Manual for complete installation and safety information		

Empire Comfort Systems Inc., has manufactured safe, reliable heating systems for almost 80 years. We take pride in our reputation for quality products, backed by the best sales, service, and distribution network in this industry. These fireplaces combine proven technologies with exceptional artistry and craftsmanship to add beauty and warmth to any home.



since 1932

Empire Comfort Systems Inc. 918 Freeburg Ave. Belleville, IL 62220-2623 info@empirecomfort.com WMH-00843 3/01/11

 $\label{lem:member of the following industry associations:} \\$













This appliance is design-certified to the ANSI standard by:



The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks