



The Breckenridge Series Vent-Free Gas Fireboxes Deluxe, Premium, and Select

Breckenridge Premium 36 Firebox with Slope Glaze Burner, Charred Oak Log Set, Mission Louvers and Doors installed in an Oak Standard Mantel.



White Mountain Hearth – The Pinnacle of Efficiency

Features

Breckenridge Deluxe, Premium, and Select Models

- More Sizes and Configurations Than Ever
- More Decorative Accessories Than Ever
- Louver and Flush Front Models
- Refractory, Ceramic Fiber, and Metal Liners
- Accepts Any Certified Vent-Free Burner and Log Set
- Zero Clearance Certified

The Breckenridge Vent-Free Fireboxes now offer more sizes and configurations than ever.

Available in louvered and flush front, the Breckenridge Deluxe and the deeper Premium models present the updated look of a traditional recirculating firebox.

Designed for installation in tight spaces, Breckenridge Deluxe fireboxes measure just 17 7/16 inches deep for the 32-inch model and 19 13/16 for the 36- and 42-inch models, yet still allow installation of a blower. We offer an assortment of decorative arched doors, louvers, and frames for the Deluxe fireboxes – accessories normally reserved for a manufacturer's upscale models. Traditional liners include four styles in ceramic fiber and one in refractory. Surround your fireplace with a traditional-style Cabinet or Corner mantel in one of five finishes, or stainable oak or hardwood.



Breckenridge 32 Premium in Standard Corner Cabinet Mantel (shown in Cherry) with Stainless Steel Slat Louvers, Decorative Frame, Arched Doors, Hood and Outer Frame.

Features

For use with contemporary burners, we also offer stainless steel and reflective black liners to fit the Deluxe firebox, along with special Artisan mantels in modern matte black or matte white – in cabinet or corner models.

Breckenridge Premium fireboxes add a little more overall depth – 21 7/16 inches – and a taller opening to showcase today's bigger log sets. Complete the Premium Firebox with one of four ceramic fiber liners, decorative accessories in three styles and four finishes, a blower – and even a lighting kit for use with a switch or dimmer control. Surround the installation with a traditional cabinet or corner mantel.

Our unique Breckenridge Select vent-free gas firebox features a tall, deep stage for the log set, yet has compact outer dimensions and a low-profile top and bottom. The visual effect is a lot more fireplace with less of the firebox face showing.

The Breckenridge Select has no lower louvers, allowing it to be installed at floor level, yet still provide the benefit of a recirculating firebox with optional blower.

The low floor height allows installation at or near floor level, for a natural, integrated look that creates the illusion of a site-built fireplace – at a fraction of the cost.

All our fireboxes feature hem-bent seams that provide a better seal while eliminating dozens of screws and fasteners. The result is a lighter, more rigid box that's easier to install.



*Breckenridge Deluxe 32 Vent-Free
Flush Firebox with Refractory Liner*



*Breckenridge Premium 36 Vent-Free
Louvered Firebox with Traditional Liner*



*Breckenridge Select 42 Vent-Free
Firebox with Herringbone Liner*



The optional FreshAir+ System, for Deluxe and Premium Fireboxes only, blends warmed air with incoming outside air to continuously freshen your indoor air.

Options & Accessories

More than 200 easily installed decorative accessories for the Breckenridge let you tailor your firebox to your décor.

Choose louvers in four patterns – slat, arched, leaf, and mission – finished in matte black, hammered pewter, or brushed stainless steel.

Matching door sets and frames complete the transformation from an attractive fireplace to a stunning focal point.

Liners

Our brick liners give your new firebox the look of a real masonry fireplace. On Deluxe and Premium fireboxes, choose our Traditional liner with light-color bricks, the Aged Brick liner with deep, rich red tones and hand-painted heat and smoke residue, or the Stacked Limestone liner with rugged, irregular stones, and no mortar. Our Select fireboxes include a ceramic fiber liner in a Herringbone Brick pattern with lighter color bricks that complement the large opening. Deluxe models are also available with a factory-installed Refractory Brick liner.

For a completely contemporary look, pair the Deluxe firebox with either a Polished Black or Brushed Stainless liner. Flames reflect off either surface, creating drama and depth inside your firebox. Either liner shows exceptionally well with Loft Series Burners and Decorative Glass.

The optional automatic blower circulates the warm air throughout the room, and the optional variable-speed control lets you adjust the fan speed.

An optional Accent Lighting Kit (LK3) for Premium and Select models creates dramatic shadows inside the firebox to provide visual interest, even when no fire is burning.

Outer Frames and Bottom Trim

Our metal three-piece outer frames let you transition from your fireplace to any adjoining surface – wooden mantel, tile, stone, or any noncombustible material. Choose from steel frames – with traditional crisp lines – or our extruded aluminum frames – with a profile that combines gentle concaves with flat surfaces. Each is available in matte black, hammered pewter, and stainless steel finish.

Our bottom trim completes the fourth side of the color frame.



Breckenridge Deluxe 36 Flush Firebox trimmed in Matte Black Outer Frame with Ceramic Fiber Canyon Log Set and Stacked Limestone Liner in Nutmeg Standard Cabinet Mantel.



Traditional Brick
(Ceramic Fiber)



Aged Brick
(Ceramic Fiber)



Banded Brick
(Ceramic Fiber)




Stacked Limestone
(Ceramic Fiber)



Herringbone Brick
(Ceramic Fiber)



Refractory Brick
(Deluxe Fireboxes)



Polished Black Metal
(Deluxe Fireboxes)



Brushed Stainless
(Deluxe Fireboxes)

Extruded Aluminum Frames



Matte Black
(On Cherry Mantel)



Hammered Pewter
(On Oak Mantel)



Stainless Steel
(On White Mantel)

Decorative Fronts



Breckenridge Deluxe 32 Firebox trimmed in Stainless Steel Mission Door, Mission Louvers, Hood and Outer Frame, in Cherry Corner Standard Mantel.




Breckenridge Deluxe 36 Flush Firebox trimmed in Matte Black Outer Frame with Loft Series Vent-Free Burner, Reflective Black Decorative Top, and Polished Black Liner, in Black Artisan Cabinet Mantel

Decorative Doors – include handles, screens, and hinges



Decorative Door Plain Arch




Decorative Door Mission Arch



Decorative Door Leaf Arch

Decorative Frames



Decorative Door Frame Arch

Decorative Louvers



Decorative Louver Arch



Decorative Louver Leaf



Decorative Louver Mission

Breckenridge Decorative Trim is available in Classic Matte Black, Modern Stainless Steel, Rich Hammered Pewter, and Traditional Polished Brass

Log Sets and Burners



Ceramic Fiber Canyon Log Set (LX-24CF) with Harmony Burner System (VFNR-24) and Decorative Cast Grate



Refractory Wildwood Log Set (LX-24WR) with Harmony Burner System with Expanded Ember Bed (VFXI-24)



Refractory Ponderosa Log Set (LS-24P) with Slope Glaze Burner System (VFSR-24)



Ceramic Fiber Morgan Creek Log Set (LS-24MC) with Slope Glaze Burner System (VFSR-24)



Ceramic Fiber Birch Log Set (LS-24B2) with Slope Glaze Burner System (VFSR-24)



Ceramic Fiber Charred Oak Log Set (LS-24C2) with Slope Glaze Burner System (VFSR-24)



Refractory Aged Oak Log Set (LS-24RAO) with Slope Glaze Burner System (VFSR-24)



Refractory Sassafras Log Set (LS-24RS) with Slope Glaze Burner System (VFSR-24)



Refractory Super Sassafras Log Set (LS-24RSS) with Slope Glaze Burner System (VFSR-24)



Ceramic Fiber Super Charred Oak Log Set (LS-24C2S) with Slope Glaze Burner System (VFSR-24)



Ceramic Fiber Flint Hill Log Set and Contour Burner Combination (VFDR-24LB)



Refractory Whiskey River Log Set and Contour Burner Combination (VFDR-24WR)



Loft Series Contemporary Burner (VFRL-24) shown with Reflective Black Decorative Top (DT24-PB)

Log Sets and Burners

The hand-painted ceramic fiber or refractory log sets complement the flames from any of our Vented/Vent-Free burners.

At 99.9 percent efficient, our Vent-Free burners deliver more heat for your energy dollars.

Step up to a Remote-Ready Burner and select our battery operated Thermostat Remote Control. Our Thermostat Remote automatically cycles the burner on and off to maintain your ideal room temperature.

Most burners are also available with manual controls or with millivolt controls that can connect to a simple wall switch, one of our wall thermostats, or a remote control. There's even a wireless wall thermostat that simplifies installation.


See the White Mountain Hearth Gas Log Brochure for complete specifications.

Firebox Specifications


Breckenridge Firebox Specifications

| Model | A | B | C | D | E | F | G | H | I | J | K | L | M |
|------------------------|--------|--------|----------|--------|--------|----|----------|-------|---------|-------|-------|----------|----------|
| Louvered Models | | | | | | | | | | | | | |
| VFD32FB | 35 5/8 | 34 1/2 | 17 7/16 | 29 | 33 | 31 | 22 1/4 | 1 1/4 | 31 1/2 | 8 3/8 | 5 5/8 | 31 13/16 | 63 3/8 |
| VFD36FB | 37 5/8 | 39 1/2 | 19 13/16 | 33 | 35 | 36 | 24 1/4 | 1 1/4 | 33 1/2 | 8 3/8 | 5 5/8 | 36 3/16 | 72 3/8 |
| VFD42FB | 37 5/8 | 43 1/2 | 19 13/16 | 37 | 35 | 40 | 24 1/4 | 1 1/4 | 33 1/2 | 8 3/8 | 5 5/8 | 38 3/16 | 76 3/8 |
| VFP32FB | 41 1/8 | 34 1/2 | 21 7/16 | 27 1/4 | 38 1/2 | 31 | 27 11/16 | 1 1/4 | 37 | 8 3/8 | 5 5/8 | 35 | 69 15/16 |
| VFP36FB | 41 1/8 | 39 1/2 | 21 7/16 | 32 1/4 | 38 1/2 | 36 | 27 11/16 | 1 1/4 | 37 | 8 3/8 | 5 5/8 | 37 1/2 | 74 13/16 |
| VFP42FB | 41 1/8 | 43 1/2 | 21 7/16 | 36 1/4 | 38 1/2 | 40 | 27 11/16 | 1 1/4 | 37 | 8 3/8 | 5 5/8 | 39 1/2 | 78 15/16 |
| Flush Models | | | | | | | | | | | | | |
| VFD32FB | 35 5/8 | 34 1/2 | 17 7/16 | 29 | 33 | 31 | 22 1/4 | 6 1/8 | 28 7/16 | 8 1/4 | 5 5/8 | 31 13/16 | 63 3/8 |
| VFD36FB | 37 5/8 | 39 1/2 | 19 13/16 | 33 | 35 | 36 | 24 1/4 | 6 1/8 | 30 7/16 | 8 3/8 | 5 5/8 | 36 3/16 | 72 3/8 |
| VFD42FB | 37 5/8 | 43 1/2 | 19 13/16 | 37 | 35 | 40 | 24 1/4 | 6 1/8 | 30 7/16 | 8 3/8 | 5 5/8 | 38 3/16 | 76 3/8 |
| VFP32FB | 41 1/8 | 34 1/2 | 21 7/16 | 27 1/4 | 38 1/2 | 31 | 27 13/16 | 6 1/8 | 34 | 8 3/8 | 5 5/8 | 35 | 69 15/16 |
| VFP36FB | 41 1/8 | 39 1/2 | 21 7/16 | 32 1/4 | 38 1/2 | 36 | 27 13/16 | 6 1/8 | 34 | 8 3/8 | 5 5/8 | 37 1/2 | 74 13/16 |
| VFP42FB | 41 1/8 | 43 1/2 | 21 7/16 | 36 1/4 | 38 1/2 | 40 | 27 13/16 | 6 1/8 | 34 | 8 3/8 | 5 5/8 | 39 1/2 | 78 15/16 |
| VFS32FB | 41 1/8 | 34 1/2 | 23 7/16 | 26 3/8 | 38 1/2 | 31 | 31 3/4 | 2 1/8 | 34 | 4 1/4 | 7 5/8 | 36 1/2 | 73 1/16 |
| VFS36FB | 41 1/8 | 39 1/2 | 23 7/16 | 31 3/8 | 38 1/2 | 36 | 31 3/4 | 2 1/8 | 34 | 4 1/4 | 7 5/8 | 39 1/16 | 78 1/16 |
| VFS42FB | 41 1/8 | 43 1/2 | 23 7/16 | 35 3/8 | 38 1/2 | 40 | 31 3/4 | 2 1/8 | 34 | 4 1/4 | 7 5/8 | 41 1/16 | 82 1/16 |




Louvered Fireboxes



Flush Fireboxes



Select Fireboxes



Breckenridge Select

Breckenridge Select Fireboxes feature a tall, deep hearth and low sill to create an exceptionally attractive stage for your Vent-Free burner and log set. Sassafras log set shown on Slope Glaze Burner with variable flame remote control. Also shown with optional LK3 Lighting Kit available for Premium and Select Models only.







Breckenridge Firebox Framing Dimensions

| Model | Framing Height | Framing Width | Framing Depth | Warranty |
|---------|----------------|---------------|---------------|--|
| VFD32FB | 36 1/8 | 35 | 17 | All Vent-Free parts carry a 5-year limited warranty. |
| VFP32FB | 41 5/8 | 35 | 21 | |
| VFS32FB | 41 5/8 | 35 | 23 | |
| VFD36FB | 38 1/8 | 40 | 19 3/8 | |
| VFP36FB | 41 5/8 | 40 | 21 | |
| VFS36FB | 41 5/8 | 40 | 23 | |
| VFD42FB | 38 1/8 | 44 | 19 3/8 | |
| VFP42FB | 41 5/8 | 44 | 21 | |
| VFS42FB | 41 5/8 | 44 | 23 | |

Breckenridge Mantel Specifications

| Model | A Top Width | B Top Depth | C Height | D Cabinet Width | E Cabinet Depth | F Opening Width | G Opening Height | H Inside Depth | I Base Width | J Base Depth | K Base Height | L Corner Depth | Fits |
|-----------|-------------|-------------|----------|-----------------|-----------------|-----------------|------------------|----------------|--------------|--------------|---------------|----------------|-------------------|
| EMBF-1S | 56 3/4 | 22 1/4 | 51 3/8 | 49 | 19 1/8 | 34 1/2 | 33 3/4 | 18 1/2 | 38 1/2 | 22 1/2 | 3 1/4 | - | Deluxe 32 |
| EMBF-3S | 62 3/4 | 25 3/4 | 53 3/8 | 55 | 22 5/8 | 40 1/2 | 35 3/4 | 22 | 44 1/2 | 22 1/2 | 3 1/4 | - | Deluxe 36 |
| EMBF-4S | 66 3/4 | 25 3/4 | 53 3/8 | 59 | 22 5/8 | 44 1/2 | 35 3/4 | 22 | 48 1/2 | 22 1/2 | 3 1/4 | - | Deluxe 42 |
| EMBF-5S | 56 3/4 | 27 3/4 | 56 5/8 | 49 | 22 5/8 | 34 1/2 | 39 | 24 | 38 1/2 | 22 1/2 | 3 1/4 | - | Premium/Select 32 |
| EMBF-6S | 62 3/4 | 27 3/4 | 56 5/8 | 55 | 22 5/8 | 40 1/2 | 39 | 24 | 44 1/2 | 22 1/2 | 3 1/4 | - | Premium/Select 36 |
| EMBF-7S | 66 3/4 | 27 3/4 | 56 5/8 | 59 | 22 5/8 | 44 1/2 | 39 | 24 | 48 1/2 | 22 1/2 | 3 1/4 | - | Premium/Select 42 |
| EMF-1A-32 | 54 5/8 | 19 3/8 | 46 3/4 | 54 | 19 | 35 | 33 1/2 | 19 | - | - | - | - | Deluxe 32 |
| EMF-1A-36 | 59 5/8 | 20 3/4 | 48 3/4 | 59 | 20 1/2 | 40 | 35 1/2 | 20 1/2 | - | - | - | - | Deluxe 36 |
| EMBC-1S | 63 | 37 1/4 | 51 3/8 | 57 3/4 | 44 1/2 | 34 1/2 | 33 3/4 | 33 1/2 | 38 1/2 | 20 3/4 | 3 1/4 | 40 | Deluxe 32 |
| EMBC-3S | 69 | 40 1/4 | 53 3/8 | 63 3/4 | 48 3/4 | 40 1/2 | 35 3/4 | 36 1/2 | 44 1/2 | 20 3/4 | 3 1/4 | 43 | Deluxe 36 |
| EMBC-4S | 73 | 42 1/4 | 53 3/8 | 67 3/4 | 51 5/8 | 44 1/2 | 35 3/4 | 38 1/2 | 48 1/2 | 20 3/4 | 3 1/4 | 45 | Deluxe 42 |
| EMBC-5S | 66 3/8 | 40 3/4 | 56 5/8 | 61 1/4 | 47 | 34 1/2 | 39 | 37 | 38 1/2 | 20 3/4 | 3 1/4 | 43 5/8 | Premium/Select 32 |
| EMBC-6S | 72 3/8 | 43 3/4 | 56 5/8 | 67 1/4 | 51 1/4 | 40 1/2 | 39 | 40 | 44 1/2 | 20 3/4 | 3 1/4 | 46 5/8 | Premium/Select 36 |
| EMBC-7S | 76 3/8 | 45 3/4 | 56 5/8 | 71 1/4 | 54 1/8 | 44 1/2 | 39 | 42 | 48 1/2 | 20 3/4 | 3 1/4 | 48 5/8 | Premium/Select 42 |
| EMC-1A-32 | 61 1/2 | 34 3/8 | 46 3/4 | 61 | 43 1/2 | 35 | 33 1/2 | 34 | - | - | - | - | Deluxe 32 |
| EMC-1A-36 | 66 1/2 | 36 7/8 | 48 3/4 | 66 | 47 | 40 | 35 1/2 | 36 1/2 | - | - | - | - | Deluxe 36 |

Mantels available in cherry, dark oak, oak, nutmeg, white, unfinished hardwood, and unfinished oak.



Vent-Free appliances may be installed in an aftermarket (mobile) home where not prohibited by state or local codes. The approval (G1-0504-90B) has been granted subject to the installation in compliance with CMR 248, 527 CMR 30, Massachusetts State Plumbing Code and/or the Massachusetts Fuel Gas Code.

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos. Our mantels feature natural veneers and hand-rubbed finishes - wood grain and color will vary. Adjust light levels and use "natural light" incandescent bulbs to enhance the dramatic look for your wooden mantel.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

Empire Comfort Systems Inc.
918 Freeburg Ave.
Belleville, IL 62220-2623
info@empirecomfort.com

WMH-00545 4/29/11

The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.