

NAPOLEON®

GAS BURNING

FIREPLACE INSERTS & GAS LOG SETS



napoleonfireplaces.com



Functional luxury and innovative Napoleon® design

IR3G	4-5
IR3	6-7
XIR3	6-7
XIR4	6-7
GDI30G	8-9
GDI30	10-11
GDIZC.....	12-13
GDI44	14-15
GI3600	16-17
Vented Gas Log Sets (GL18E, GL24E & GL30E).....	18-19
Napoleon's Outstanding Features	20
Direct Vent Technology.....	21
FIBERGLOW™ Technology	22
Options, Features & Accessories	23-25
Gas Inserts Detailed Specifications	26-28
Measuring For Your Insert or Gas Log Set.....	29
Gas Logs Detailed Specifications	29



GDI30 shown with MIRRO-FLAME™ Panels and an arched cast iron surround and door kit



Why Napoleon®?

Making your life easier... Napoleon® gas fireplace inserts are designed to provide you absolute comfort and control at the touch of your fingertips. It's that easy. When you install a Napoleon® gas fireplace insert, you can rest assured that you will enjoy a lifetime of instant ambiance with reliable performance year after year.

An investment you can count on... Your new Napoleon® gas fireplace insert adds value to your home while at the same time giving you uncompromising comfort and a reliable heating source.

Create your personal design statement... Surround yourself with a home environment that makes you feel good, relaxed and proud to reflect your decorating style. A multitude of designer options including cast iron surrounds as well as traditional painted and plated trim packages are available to create the exact statement you have been looking for.

Highest efficiencies, maximum comfort... Years of research, design and testing have enhanced optimum performance allowing Napoleon® products to achieve some of the highest heater rated efficiencies on the market. Napoleon® continuously surpasses industry standards not only in appearance but in efficiency and performance.

Beautiful fires, best flame in the industry... With advanced burner technology and innovative design, Napoleon's flame and exclusive PHAZER® and IRONWOOD® log sets are so realistic it's hard to tell the difference from a real wood burning fire.


No power? No problem!... We all feel vulnerable when the power goes out. Now you can weather out the storm in the comfort of your own home! A Napoleon® gas fireplace insert requires no electricity to light or operate, a built-in millivolt system or electronic ignition with battery back-up ensures reliability even during power failures.

Authorized dealer support network... With over 3,000 reputable authorized dealers across North America, Napoleon® works hard to provide professional, consistent training and technical education to support our team of dedicated professionals.

Outstanding Reliable Warranty... Each and every Napoleon® gas fireplace insert is designed and manufactured to strict quality testing standards and backed by the President's Limited Lifetime Warranty, guaranteed to give you the solid performance you deserve. Napoleon® is registered under the world recognized ISO 9001-2008 quality systems.



Napoleon Appliance Corp.



Wolf Steel Montreal



Wolf Steel USA



Wolf Steel Manufacturing



Wolf Steel Corporate Offices



IR3G Gas Insert

Economical Modern Elegance

The IR3G is the perfect solution for an economical heating source complemented with the modern elegance of a sparkling Topaz CRYSTALLINE™ ember bed. The IR3G features Napoleon's exclusive NIGHT LIGHT™ and comes standard with a thermostatic remote control and MIRRO-FLAME™ Porcelain Reflective Radiant Panels. Optional decorative accessories are also available to match any room in your home. Heating smarter and saving energy doesn't mean that you have to compromise great design.

IR3G

Up to 24,000 BTU's

50% flame/heat adjustment

37 1/2" w x 25 1/2" h as shown on page 5


Natural gas or propane

For more detailed specifications on this unit, see page 26



IR3G shown with five piece painted black surround and zen modern doors in wrought iron finish

Options & Accessories



Glass Media Enhancement Kits - Four Colours Available*



One Piece Surround
Painted Black Finish



Five Piece Surround
Painted Black Finish



Arched Cast Iron Surround Kit
with Operable Double Doors



Optional Blower Kit



Contemporary Rectangular Front
Three Colour Options*



Wrought Iron Door Kit
with Operable Double Doors



Zen Modern Door
Three Colour Options*



Premium Scalloped Artisan
Steel Door & Frame



Safety Screen



F45 & F60 Remote Controls
On/off or thermostatic



IR3G shown with one piece painted black surround, MIRRO-FLAME® panels and satin chrome plated contemporary rectangular front



MIRRO-FLAME®
Porcelain Reflective
Radiant Panels



Glass Media Kits
Blue, Amber, Black, Red, Clear, Topaz (Standard)



IR3, XIR3 & XIR4 Gas Inserts

Style, Comfort and Efficiency

Napoleon's Infrared (IR) Series feature Napoleon's advanced infrared technology (see page 21) and flame modulation. The XIR gas inserts offer a modulating dual burner system that results in a firebox filled with a stunning triple flame pattern. The IR Series features cost saving benefits of Zone Heating plus the benefit of replacing an old drafty masonry fireplace with efficient, warm, glowing YELLOW DANCING FLAMES®. A multitude of designer options are available to create the exact statement you have been looking for. Style, comfort and efficiency – the IR Series has it all.

IR3	XIR3	XIR4
Up to 24,000 BTU's	Up to 31,000 BTU's	Up to 40,000 BTU's
50% flame/heat adjustment	50% flame/heat adjustment	50% flame/heat adjustment
46 7/8" w x 29 3/8" h as shown	37 1/2" w x 25 1/2" h as shown	48" w x 34" h as shown
Natural gas or propane	Natural gas or propane	Natural gas or propane

For more detailed specifications on these units, see page 26 & 27

Options & Accessories



Glass Media Enhancement Kits - Four Colours Available*



One Piece Surround
Painted Black Finish



Five Piece Surround
Painted Black Finish



Arched Cast Iron Surround Kit
with Operable Double Doors
(Not available for the XIR4)



Optional Blower Kit
(Standard on XIR4)



Contemporary Rectangular Front
Three Colour Options*



Wrought Iron Door Kit
with Operable Double Doors



Zen Modern Door
Three Colour Options*



Premium Scalloped Artisan
Steel Door & Frame



Safety Screen



F45 & F60 Remote Controls
On/off or thermostatic




IR3 shown with cast iron surround kit and Old England Grey brick panels





XIR3 shown with five piece painted black surround and Newport[®] deluxe brick panels



XIR4 shown with five piece painted black surround, MIRRO-FLAME[®] Panels and wrought iron door kit



Newport[®] Deluxe
Brick Panels



Old England Grey
Brick Panels



MIRRO-FLAME[®]
Porcelain Reflective
Radiant Panels



River Rock Media Kits
Grey or Multi-coloured



GDI30G Gas Insert

Sparkling Elegance

The GDI30G comes complete with Napoleon's exclusive Topaz CRYSTALINE™ glass ember bed that sparkles with intriguing elegance and a heat activated variable speed blower system. Optional decorative accessories and coloured glass media kits are available to match any décor. With its innovative design, impressive 85% efficiency and reliable heating capabilities, the GDI30G fills a niche for a contemporary style in an otherwise traditional masonry setting.

GDI30G

Up to 24,500 BTU's

50% flame/heat adjustment

42" w x 25 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 27

Options & Accessories



Glass Media Enhancement Kits - Four Colours Available*



Four-Sided Surrounds
Three Colour Options*



Polished Chrome Bevelled
Door Frame Trim



Riser Box
Painted Black Finish



F45 & F60 Remote Controls
On/off or thermostatic



GDI30G shown with clear glass media kit and four-sided surround in painted black finish





GDI30G shown with four-sided surround in brown finish, MIRRO-FLAME Panels and polished chrome bevelled door frame trim



MIRRO-FLAME
Porcelain Reflective
Radiant Panels



Glass Media Kits
Blue, Amber, Black, Red, Clear, Topaz (Standard)



GDI30 Gas Insert

An Elegant Heater For Any Lifestyle

The GDI30 easily transforms your existing masonry or prefabricated fireplace into an efficient heating source, eliminating drafts and ultimately saving you money. Napoleon's exclusive PHAZER® logs, charcoal embers, heat activated variable speed blower system, realistic YELLOW DANCING FLAMES® and elegant designer options turn your room into a tranquil getaway. The state-of-the-art pan burner system guarantees a wide range of heat output with adjustable flame/heat control giving you exactly what you need for maximum comfort with a traditional masonry look and feel.

GDI30

Up to 24,500 BTU's

50% flame/heat adjustment

46 7/16" w x 29 3/16" h as shown on page 11

Natural gas or propane

For more detailed specifications on this unit, see page 27



Shown with bay front, ornamental inset and porcelain Majolica brown cast iron surround

Options & Accessories



Bay Front Kit



Ornamental Insets
Two Colour Options*



Louvres
Five Colour Options*



Cast Iron Surrounds
Two Colour Options*



F45 & F60 Remote Controls
On/off or thermostatic



Andirons
Two Colour Options*



Flashing with Black Trim - Available in 6" & 9"
Four Colour Options*



Arched Cast Iron Surround Kit
with Operable Double Doors



Four-Sided Surrounds
Three Colour Options*



Polished Chrome
Bevelled Door Frame Trim



GDI30 shown with MIRRO-FLAME® Panels and an arched cast iron surround and door kit



Decorative Sandstone
Brick Panels



MIRRO-FLAME®
Porcelain Reflective
Radiant Panels



River Rock Media Kits
Grey or Multi-coloured



GDIZC Gas Insert

Smallest Fireplace Opening, Large Viewing Area

The multi-level advanced burner technology of the GDIZC produces beautiful, realistic YELLOW DANCING FLAMES® and the exclusive PHAZER® log set and charcoal ember bed are so realistic, they will be mistaken for a real wood fire. This award winning fireplace insert is designed to fit the smallest fireplace openings but offers a large, 400 square inch ceramic glass viewing area. The GDIZC comes complete with a heat activated variable speed blower system making it the perfect gas fireplace insert for any room in your home.

GDIZC

Up to 24,000 BTU's

Three-Sided: 44 7/8" w x 27" h as shown

Four-Sided: 44 7/8" w x 36 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 28



GDIZC shown with 6" painted black flashing and 24 Karat gold plated upper door trim



Options & Accessories



Contemporary Trim Kit
Painted Black Finish



Four-sided Aluminum Extrusion
Painted Black Finish



Three-sided Aluminum Extrusion
Painted Black Finish



Cast Iron Surrounds
Two Colour Options*



Andirons
Two Colour Options*



Upper Door Trim
Two Colour Options*



Flashing with Black Trim - Available in 6" & 9"
Four Colour Options*



Webbed Arched Door Kits
Two Colour Options*



Arched Door Kit
24 Karat Gold Plated Finish



Riser Box
Painted Black Finish



F45 & F60 Remote Controls
On/off or thermostatic



GDIZC shown with painted textured satin black four-sided aluminum extrusion and decorative Sandstone brick panels



Decorative Sandstone
Brick Panels



MIRRO-FLAME
Porcelain Reflective
Radiant Panels



GDI44 Gas Insert

Picture Perfect

Napoleon's GDI44 gas insert boasts an incredible 75% flame/heat adjustment (up to 40,000 BTU's down to 10,000 BTU's), more than any other insert! With a standard heat activated variable speed blower the GDI44 is the perfect solution to improve your existing inefficient wood burning fireplace and at the same time, offering a huge viewing area to enjoy the beautiful, mesmerizing flames. Trim kits, decorative panels and a variety of door kits are available for the GDI44 to match any décor.

GDI44

Up to 40,000 BTU's

Three-Sided: 52 1/8" w x 33 1/2" h as shown

Four-Sided: 52 1/8" w x 42 3/4" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 28



GDI44 shown with painted black contemporary trim kit and riser box



Options & Accessories



Contemporary Trim Kit
Painted Black Finish



Four-sided Aluminum Extrusion
Painted Black Finish



Three-sided Aluminum Extrusion
Painted Black Finish



Andirons
Painted Black Finish



Webbed Arched Door Kits
Two Colour Options*



Arched Door Kit
Painted Black Finish



Wrought Iron Door Kit
Wrought Iron Finish



Riser Box
Painted Black Finish



F45 & F60 Remote Controls
On/off or thermostatic



GDI44 shown with decorative Sandstone brick panels and painted textured satin black three-sided aluminum extrusion



Decorative Sandstone
Brick Panels



MIRRO-FLAME
Porcelain Reflective
Radiant Panels



GI3600 Gas Insert

Economical & Versatile

Here's the secret to a warmer, cozier home! Retrofit your drafty old fireplace with this beautiful Napoleon® gas insert. The GI3600 is especially designed to fit smaller wood burning, zero clearance fireplaces and comes complete with a heat activated variable speed blower system. Create the exact designer touch you have been looking for with optional choices including bay fronts, flashing kits and cast iron surrounds in various styles and finishes.

GI3600

Up to 24,000 BTU's - Natural Vent Only

50% flame/heat adjustment

43" w x 27 1/2" h as shown on page 17

Natural gas or propane

For more detailed specifications on this unit, see page 28



GI3600 shown with decorative Sandstone brick panels and arched cast iron surround and door kit



Options & Accessories



Bay Front Kit



Louvers
Five Colour Options*



Cast Iron Surrounds
Two Colour Options*



F45 & F60 Remote Controls
On/off or thermostatic



Flashing with Black Trim - Available in 6" & 9"
Four Colour Options*



Bevelled Flashing and Trim
Black Finish



Arched Cast Iron Surround
and Door Kit



Andirons
Two Colour Options*



G13600 shown with painted black bevelled flashing, painted black louvres and MIRRO-FLAME® Panels



Decorative Sandstone
Brick Panels



MIRRO-FLAME®
Porcelain Reflective
Radiant Panels



FIBERGLOW™ Vented Gas Log Sets

Ambiance Your Home Deserves

No need to split and haul wood to your masonry fireplace, simply replace with a realistic Napoleon® gas log set. In today's demanding society, where life never seems to slow down, we crave the simple pleasures that bring back relaxation, comfort and treasured times with family and friends. Napoleon's gas log sets with electronic ignition also offer the option of switching to a more contemporary river rock setting. Whether you choose the FIBERGLOW™ logs or the river rock option, Napoleon's Vented Gas Log Sets create the ambiance your home deserves.

GL18E - 18" Log Set

Up to 55,000 BTU's

50% flame/heat adjustment

16" h x 20 3/8" w x 13 1/4" d

Natural gas or propane

GL24E - 24" Log Set

Up to 60,000 BTU's

50% flame/heat adjustment

16" h x 26" w x 13 1/4" d

Natural gas or propane

GL30E - 30" Log Set

Up to 65,000 BTU's

50% flame/heat adjustment

16" h x 30" w x 13 1/4" d

Natural gas or propane

For more detailed specifications on this unit, see page 29

Options & Accessories



Lava Rocks / Cinders



F45 & F60 Remote Controls
On/off or thermostatic



18" Series



24" Series



30" Series





GL30E shown with lava rocks and cinders



River Rock Media Kits
Grey or Multi-coloured



Outstanding Features

of Napoleon's Advanced Technology



Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.

Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD™ gas control system.

Minimum 30% savings on heating costs with Zone Heating

Zone Heating means you are heating the rooms that you use the most with an alternate heat source, like a Napoleon® Gas Insert. Zone Heating is the obvious solution for families concerned about rising fuel costs.

Outstanding Craftsmanship

Fine details are designed in every aspect of Napoleon® fireplaces... individually handcrafted with pride of excellence.

Solid Hinged Doors


Manufactured with heavy gauge steel, the doors are conveniently hinged on most models for easy access.

Outstanding Features

of Napoleon's Direct Vent Technology

Napoleon's Gas Inserts

Napoleon's direct vent gas fireplace insert design employs a sealed combustion and vent system. These and other innovations, allow Napoleon's inserts to achieve some of the highest efficiencies in the industry today. The direct vent draws its combustion air from outside while venting to the same outside atmosphere - thereby not consuming warm house air. Direct venting also eliminates drafts and heat loss common to traditional wood burning fireplaces.




Direct vent technology draws outside air for combustion into the firebox chamber then exhausts through a separate vent. Both vents are installed into your existing chimney.

- | | |
|---|---|
| 1. Realistic PHAZER® log set or CRYSTALINE™ ember bed | 6. Heated air is pushed into the room through an efficient variable speed blower system |
| 2. Double steel wall construction on five sides for optimum heat retention and efficiency | 7. Heat exchanger for maximum heat output featuring heavy gauge steel |
| 3. Variable speed fan provides maximum comfort and efficiency to help circulate room air | 8. Gas flue outlet exhausts combusted air |
| 4. Cool room air drawn in | 9. Fresh air intake - pictured above |
| 5. High heat resistant ceramic glass for ultimate safety and heat transfer | 10. Exhausted combustion air - pictured above |

Napoleon's Infrared (IR) Gas Inserts

Napoleon's infrared burner system is designed with strategically positioned burner ports to direct the fuel towards its burner, creating a red hot glow that generates the infrared heat waves which then radiate from the fireplace to surrounding cooler objects in the room. The built-in heat exchange system is maximized by deflecting the exhausting flue gases toward the glass for optimum heat transfer into the room. These two systems alone are an effective source of heat, eliminating the need for a blower for most rooms.




- | | |
|---|-----------------------------------|
| 1. Napoleon's Infrared & Heat Transfer Technology | 6. Safety Screen |
| 2. Close to the Hearth Installations | 7. ACS (Anti-Condensation Switch) |
| 3. No Power? No Problem! - No Electricity Needed | 8. Convenient Levelling Legs |
| 4. La Precisa SIT Valve - Electronic Ignition | 9. Modulating Burner System |
| 5. Exclusive NIGHT LIGHT™ System | 10. Heat Circulating Blower |

Outstanding Features

of Napoleon's Direct Vent Technology

Napoleon's FIBERGLOW[™] Technology

Advanced FIBERGLOW[™] Infrared Technology Radiates Heat Back Into the Room from the PHAZERAMIC[™] Burner.




1. Air flows towards the air intake opening
2. Natural gas or propane flow into a precisely calibrated SIT safety valve
3. Air and fuel mix within the venturi tube
4. The perfect blend of fuel and air mixture travels through the burner ports, strategically placed to begin the process of creating the most realistic flames in the industry
5. Infrared heat from the exclusive PHAZERAMIC[™] burner and ember bed provides up to 65,000 BTU's (GL30E)
6. Infrared heat technology and curved rear log design directs heat back into the room
7. Controls are hidden from view but easy to access. The added feature of an on/off switch is conveniently located at the front side
8. Flame sensor provides 100% SAFE GUARD[™] system, quickly and automatically shutting off the gas supply for your peace of mind
9. Electronic ignition with battery back-up ensures reliability with out the need for electricity
10. Ignition system is easy to operate with a digital remote control, wall switch or wall thermostat

No Comparison!

Replace your drafty, inefficient fireplace with a Napoleon[®] gas insert.


Installed Into An Existing Masonry Fireplace

1. Select the insert that fits your requirements and opening
2. Choose your faceplate or surround
3. Select your decorative trim



Installed Into An Existing Zero Clearance Fireplace

1. Select the insert that fits your requirements and opening
2. Choose your faceplate or surround
3. Select your decorative trim



Decorative Panels



Newport® Deluxe Brick



Old England Grey Brick



Decorative Sandstone Brick



MIRRO-FLAME® Porcelain Reflective Radiant Panels

Louvres



24 Karat Gold Plated Finish



Brushed Stainless Steel Finish



Polished Brass Finish



Painted Black Finish



Antique Brass Finish

Ornamental Insets



24 Karat Gold Plated Finish




Painted Black Finish

Media Enhancement Kits




River Rock Media

Switch out existing logs to a more contemporary setting with the optional river rock media kit. Available in grey or multi-coloured.



Glass Media

Media enhancement kits of coloured glass are designed for random placement within the firebox as an addition to the ember bed.



Safety Screen

Safety screens are available to protect children, pets and visitors against inadvertent contact with glass. Glass and unit temperature can get very hot.



Bevelled Door Trim

Available in polished chrome plated finish for Napoleon's GDI30 and GDI30G.



Exclusive NIGHT LIGHT™

The exclusive NIGHT LIGHT™ illuminates the whole decorative firebox, including the logs, even when the fireplace is turned off.



Riser Box

The riser box was designed to lift the unit up off the masonry hearth, allowing the option of a four-sided trim.



Convenient Remote Controls

Napoleon's remotes with digital read out and thermostatic control give you the comfort level you need at the touch of a button.



Bay Front Kit

Bay Front complete with pull screen and standard front brick available for Napoleon's GI3600 and GDI30 gas inserts.

Andirons

Designed to simply stand in front of the logs and give the optimum traditional masonry look and feel. They fit directly in a bay window, bay front kit or rest inside the firebox.



Lava Rocks / Cinders

Designed for random placement around the logs to enhance the look and feel of Napoleon's gas log sets.



Surrounds, Fronts & Frames



One Piece Surround
Available in Painted Black finish



Five Piece Surround
Available in Painted Black finish



Three-Sided Aluminum Extrusion
Available in Painted Black finish



Four-Sided Aluminum Extrusion
Available in Painted Black finish



Contemporary Trim Kit
Available in Painted Black finish



Cast Iron Surround Kit
Available in Painted Black finish



Cast Iron Surround Kit
Available in Porcelain Enamel
Majolica Brown finish



6" Flashing
Available in Painted Black finish
with Black trim



6" Flashing
Available in Brushed Stainless Steel finish
with Black trim



6" Flashing
Available in Polished Brass finish
with Black trim



6" Flashing
Available in Antique Brass finish
with Black trim



9" Flashing
Available in Painted Black and
Polished Brass finishes with Black trim



Four-Sided Surround
Available in Painted Black finish



Four-Sided Surround
Available in Diamond Dust Pewter finish



Four-Sided Surround
Available in Brown finish



Arched Door Kit
Available in Painted Black finish



Arched Door Kit
Available in 24 Karat Gold Plated finish



Webbed Arched Door Kit
Available in Painted Black finish



Webbed Arched Door Kit
Available in 24 Karat Gold Plated finish



Wrought Iron Door Kit
Available in Wrought Iron finish
(screen not available)



**Arched Cast Iron Surround Kit
with Operable Double Doors**
Available in Painted Black finish



Contemporary Rectangular Front
Available in Painted Black finish



Contemporary Rectangular Front
Available in Diamond Dust Pewter finish



Contemporary Rectangular Front
Available in Brown finish



**Wrought Iron Door Kit with
Operable Double Doors**
Available in Painted Black finish



Zen Door Kit
Available in Painted Black finish



Zen Door Kit
Available in Diamond Dust Pewter finish



Zen Door Kit
Available in Brown finish



**Premium Scalloped Artisan Steel
Door & Frame**
Available in Wrought Iron finish




WHISPER QUIET[™] Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.



Wall Mount Thermostat

Optional wall mount thermostatic control maintains adjacent room temperature for even greater convenience.



Superior Heat Resistant Glass


Ceramic and tempered glass are made to withstand high temperatures, allowing maximum radiant heat, performance and safety.

	IR3G	IR3	XIR3	XIR4	GD30G	GD30	GD7C	GD44	GI3600	GI18E	GI24E	GI30E
Louvers (painted black, polished brass, brushed stainless steel and antique brass finishes)	-	-	-	-	-	0	-	-	0	-	-	-
Ornamental Insets (painted black and 24 Karat gold plated finishes)	-	-	-	-	-	0	-	-	-	-	-	-
Bay Front Kit	-	-	-	-	-	0	-	-	0	-	-	-
One Piece Surround (painted black finish)	0	0	0	0	-	-	-	-	-	-	-	-
Five Piece Surround (painted black finish)	0	0	0	0	-	-	-	-	-	-	-	-
Arched Cast Iron Surround Kit with Operable Screen Doors	0	0	0	-	-	0	-	-	0	-	-	-
Contemporary Rectangular Front (porcelain black, painted Hammertone copper and satin chrome plated finishes)	0	0	0	0	-	-	-	-	-	-	-	-
Wrought Iron Door Kit with Operable Double Doors	0	0	0	0	-	-	-	-	-	-	-	-
Zen Modern Doors (painted black, wrought iron and Hammertone copper finishes)	0	0	0	0	-	-	-	-	-	-	-	-
Premium Scalloped Artisan Steel Door & Frame	0	0	0	0	-	-	-	-	-	-	-	-
Four-Sided Surround (painted black, brown and diamond dust pewter finishes)	-	-	-	-	0	0	-	-	-	-	-	-
Polished Chrome Bevelled Door Frame Trim	-	-	-	-	0	0	-	-	-	-	-	-
Cast Iron Surrounds (painted black and porcelain enamel Majolica brown finishes)	-	-	-	-	-	0	0	-	0	-	-	-
Upper Door Trim (polished brass and 24 Karat gold plated finishes)	-	-	-	-	-	-	-	0	-	-	-	-
6" Flashing (painted black, polished brass, brushed stainless steel and antique brass finishes)	-	-	-	-	-	0	0	-	0	-	-	-
9" Flashing (painted black and polished brass finishes)	-	-	-	-	-	0	0	-	0	-	-	-
Riser Box	0	0	0	0	0	0	0	0	0	-	-	-
Contemporary Trim Kit	-	-	-	-	-	-	0	0	-	-	-	-
Three-Sided Aluminum Extrusion (painted black finish)	-	-	-	-	-	-	0	0	-	-	-	-
Four-Sided Aluminum Extrusion (painted black finish)	-	-	-	-	-	-	0	0	-	-	-	-
Webbed Arched Door Kit (painted black and 24 Karat gold plated finishes)	-	-	-	-	-	-	0	0	-	-	-	-
Arched Door Kit (painted black or 24 Karat gold plated finishes)	-	-	-	-	-	-	0*	0*	-	-	-	-
Safety Screen	0	0	0	0	-	-	0	0	0	-	-	-
Andirons (painted black and 24 Karat gold plated finishes)	-	-	-	-	-	0	0	0*	0	S*	S*	S*
River Rock Media Kits (grey and multi-coloured)	0	0	0	0	-	0	-	-	-	0	0	0
Glass Media Enhancement Kits (blue, amber, black and red)	0	0	0	0	0	-	-	-	-	-	-	-
Glass Media Kits (blue, amber, black, red and clear)	0	-	-	-	0	-	-	-	-	-	-	-
MIRRO-FLAME [™] Porcelain Reflective Radiant Panels	S	0	0	0	S	0	0	0	0	-	-	-
Newport [™] Deluxe Brick Panels	0	0	0	0	-	-	-	-	-	-	-	-
Old England Grey Brick Panels	0	0	0	0	-	-	-	-	-	-	-	-
Decorative Sandstone Brick Panels	-	-	-	-	-	0	0	0	0	-	-	-
On/off or Thermostatic Remote Control	0	0	0	0	0	0	0	0	0	0	0	0
Electronic Ignition	S	S	S	S	S	-	-	-	-	S	S	S

*Painted black finish only *24 Karat gold plated finish only

IR3G

Shown on pages 4 & 5




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening*		Height	Width		EnerGuide	AFUE	Steady State			
IR3G	15 - 24,000	17 - 24,000	3"	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2"	Ceramic	17"	25 9/16"	364	64.2%	63.9%	80%	Optional*	Yes	Yes

Certified and tested under Canadian and American National standards: CSA 2.33, ANSI Z21.88 for vented gas fireplace heaters.

IR3

Shown on pages 6 & 7




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening*		Height	Width		EnerGuide	AFUE	Steady State			
IR3	18 - 24,000	18 - 24,000	3"	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2"	Ceramic	17"	25 9/16"	364	64.2%	66.3%	77%	Optional*	Yes	Yes

Certified and tested under Canadian and American National standards: CSA 2.33, ANSI Z21.88 for vented gas fireplace heaters.

XIR3

Shown on pages 6 & 7




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening*		Height	Width		EnerGuide	AFUE	Steady State			
XIR3	15 - 31,000	16 - 31,000	3"	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2"	Ceramic	17"	25 9/16"	364	67%	68.4%	80%	Optional*	Yes	Yes

Certified and tested under Canadian and American National standards: CSA 2.33, ANSI Z21.88 for vented gas fireplace heaters.

* Add an additional 4" to the minimum opening depth dimension for optional blower
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.
 Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

XIR4

Shown on pages 6 & 7




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
XIR4	16 - 40,000	15 - 40,000	3"	24 1/2"	25"	34 3/4"	34 1/4"	16 5/8"	17"	Ceramic	20 5/8"	31"	553	68.9%	72.4%	83%	Standard	Yes	Yes

Certified and tested under Canadian and American National standards: CSA 2.33, ANSI Z21.88 for vented gas fireplace heaters.

GDI30G

Shown on pages 8 & 9




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GDI30G	15 - 24,500	15 - 24,500	3"	21 3/4"	22"	30 1/16"	28"	17 7/8"	18"	Ceramic	14"	28 1/2"	399	64.5%	-	85%	Standard	Yes	Yes

Certified and tested under Canadian and American National standards: CSA 2.22, ANSI Z21.50 for vented gas fireplaces.

GDI30

Shown on pages 10 & 11




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GDI30	15 - 24,500	15 - 24,500	3"	21 3/4"	22"	30 1/16"	28"	17 7/8"	18"	Ceramic	14"	28 1/2"	399	64.5%	60.02%	85%	Standard	Yes	No

Certified and tested under Canadian and American National standards: CSA 2.22, ANSI Z21.50 for vented gas fireplaces.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

GDIZC

Shown on pages 12 & 13




Model	BTU's (Input)		Venting	Height			Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual (Three-Sided)	Actual (Four-Sided)	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GDIZC	14 - 24,000	15 - 24,000	3"	20 3/4"	24 1/8"	14 1/2"	36"	25"	15 1/2"	11"	Ceramic	16"	28 1/2"	456	65.5%	65%	85%	Standard	Yes	No

Certified and tested under Canadian and American National standards: CSA 2.33, ANSI Z21.88 for vented gas fireplace heaters.

GD144

Shown on pages 14 & 15




Model	BTU's (Input)		Venting	Height			Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual (Three-Sided)	Actual (Four-Sided)	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GD144	13 - 40,000	10 - 40,000	3"	27 1/4"	30 1/2"	21"	43 7/8"	32"	20 3/4"	16"	Ceramic	22 1/2"	36 1/4"	816	61.4%	-	69%	Standard	Yes	No

Certified and tested under Canadian and American National standards: CSA 2.33, ANSI Z21.50 for vented gas fireplaces.

GI3600

Shown on pages 16 & 17




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Viewing Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GI3600	16 - 24,000	17 - 22,000	3"	17 1/4"	17 1/2"	25"	25 1/2"	17 1/2"	16 1/2"	Ceramic	11 3/4"	29 3/4"	350	62.3%	-	76%	Standard	Yes	No

Certified and tested under Canadian and American National standards: CSA 2.33, ANSI Z21.50 for vented gas fireplaces.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Measuring For Your Insert

Retrofit your drafty old fireplace with a...








GL30E shown with lava rocks and cinders

FIBERGLOW™ Vented Gas Log Sets

Shown on pages 18 & 19

Model	Minimum Size Fireplace Opening		
	Height*	Width	Depth
18" GL18E	18"	22"	14"
24" GL24E	20"	28"	14"
30" GL30E	22"	34"	14"



*Allow 4-6" additional height for optimum flame appearance. Certified under Canadian and American National standards: CSA 2.26, ANSI Z21.60 decorative gas appliances for installation in solid-fuel burning appliances.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Other Napoleon Products




Fireplace Inserts • Charcoal Grills • Gas Fireplaces • Waterfalls • Wood Stoves
 Casual Furniture • Electric Fireplaces • Gas Furnaces • Gourmet Grills



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
 103 Miller Drive, Crittenden, Kentucky, USA 41030
 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031
 napoleonfireplaces.com



Authorized Dealer

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE - A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.